| L Number | ₹ S | Search Text | DB | Time stamp |
|----------|--------|--|--------------------|------------------|
| 1 | 465 | ((370/232)).CCLS. AND (@AD<20010329 OR @PRAD<20010329 OR @RLAD<20010329) | USPAT; | 2004/10/19 09:39 |
| • | 1673 | switch AND traffic AND processor AND management AND database AND characteristic AND service AND route AND entries AND (@AD<20010329 OR @PRAD<20010329 OR @PRAD<20010329 OR @PRAD<20010329 OR @ADA (ADA (ADA (ADA (ADA (ADA (ADA (ADA | USPAT; | 2004/10/04 16:08 |
| 1 | 807 | switch AND traffic AND processor AND management AND database AND characteristic AND service AND route AND entries AND node AND criteria AND (@AD<20010329 OR @PRAD<20010329 OR @RLAD<20010329) | USPAT; US-PGPUB | 2004/10/04 16:09 |
| • | 681 | switch AND traffic AND processor AND management AND database AND characteristic AND service AND route AND entries AND node AND criteria AND memory AND store AND level AND (@AD<20010329 OR @RLAD<20010329 OR @RLAD<20010329 | USPAT; US-PGPUB | 2004/10/04 16:10 |
| • | 94 | Switch AND traffic AND processor AND management AND database AND characteristic AND service AND route AND entries AND node AND criteria AND memory AND store AND (service ADJ level ADJ agreement) AND AND (AND AND AND AND AND AND AND AND AND AND | USPAT; US-PGPUB | 2004/10/04 16:19 |
| , | 2 | Switch AND (traffic AD) processor) AND management AND database AND characteristic AND service AND route AND entries AND node AND criteria AND memory AND store AND (service AD) level ADJ agreement) AND (rights OR interrupt) AND (@ADZ 20010329 OR @PRADZ 20010329 OR @RIADZ 20010329) | USPAT; US-PGPUB | 2004/10/04 16:20 |
| • | 11 | Switch AND (traffic AD) processor) AND management AND database AND characteristic AND service AND route AND entries AND node AND criteria AND memory AND store AND (@AD<20010329 OR @AD<20010329 OR | USPAT; US-PGPUB | 2004/10/05 12:16 |
| • | 12 | (Switch) AND (traffic ADJ processor) AND (database) AND characteristic AND route AND (SLA) AND (のADA) AND (のADA) AND (ADDA) AND (ADDA) AND (ADDA) AND (ADDA) AND (ADDA) AND (ADDA) ADDA) ADDA) | USPAT; | 2004/10/04 16:32 |
| · | 55 | (@AD<2001032) ON @TOOCESSOT) AND (database) AND (@AD<20010329 OR @PRAD<20010329 OR @RAD<20010329) (@RI AD<20010329) | USPAT; | 2004/10/18 09:59 |
| ı | 7562 | switch AND traffic AND processor AND database AND (@AD<20010329 OR @PRAD<20010329 OR @RI AD<20010329) | USPAT; | 2004/10/04 16:42 |
| ı | 88 | switch AND (traffic ADJ characteristic) AND processor AND database AND (@AD<20010329 OR @RI AD<20010329 OR @RI AD<20010329) | USPAT; | 2004/10/04 16:43 |
| 1 | 125 | switch AND (traffic AD) management) AND database AND characteristic AND service AND route AND node AND recessor AND (AND (AND CONTINUED AND CO | USPAT; | 2004/10/05 08:37 |
| ı | 10894 | (370/230-237,252,389,395.53,397,400-401,411-412,468) OR (709/226,251)).CCLS. AND (@AD<20010329) OR @PRAD | USPAT; | 2004/10/15 12:14 |
| | 19 | ((370/230-237,252,389,395.53,397,400-401,411-412,468) OR (709/226,251)).CCLS. AND switch AND traffic AND processor AND management AND database AND characteristic AND service AND route AND entries AND | USPAT; US-PGPUB | 2004/10/05 11:41 |
| | | node AND criteria AND memory AND store AND (service ADJ level ADJ agreement) AND (trigger OR interrupt) AND (@AD<20010329 OR @PRAD<20010329 OR @RLAD<20010329) | | |
| | 20 | ((370/230-237,252,389,395.53,397,400-401,411-412,468) OR (709/226,251)).CCLS. AND (switch ADJ processor) AND traffic AND management AND database AND service AND route AND node AND | USPAT; US-PGPUB | 2004/10/05 11:43 |
| 1 | 938 | (@AD<20010329 OR @PRAD<20010329 OR @RLAD<20010329) ((370/230-237,252,389,395.53,397,400-401,411-412,468) OR (709/226,251)).CCLS. AND switch AND traffic | USPAT; | 2004/10/05 12:08 |
| ı | 217 | AND processor AND database AND (@AD<20010329 OR @PRAD<20010329 OR @RLAD<20010329) ((370/230-237,252,389,395.53,397,400-401,411-412,468) OR (709/226,251)).CCLS. AND switch AND traffic | US-PGPUB USPAT; | 2004/10/05 12:10 |
| | | AND processor AND database AND management AND node AND queue AND burrer AND (@AD<20010329 OR @RLAD<20010329) | US-PGPUB | _ |
| 1 | 141 | ((370/230-237,252,389,395.53,397,400-401,411-412,468) OR (709/226,251)).CCLS. AND switch AND traffic AND processor AND database AND management AND node AND queue AND buffer AND utilization AND (@AD<20010329 OR @PRAD<20010329 OR @RLAD<20010329) | USPAT; US-PGPUB | 2004/10/05 12:10 |
| | | | | |

| | 12 | switch AND (traffic ADJ processor) AND management AND database AND characteristic AND route AND utilization AND node AND SLA AND memory AND (@AD<20010329 OR @PRAD<20010329 OR | USPAT; US-PGPUB | 2004/10/05 13:24 |
|---|----------|---|---|------------------|
| - | 239 | @RLAD<20010329) switch AND utilization AND database AND (service ADJ level) AND route AND utilization AND route AND | USPAT; | 2004/10/05 13:30 |
| 1 | 148 | guarantee AND (@AD<20010329 OR @PRAD<20010329 OR @RLAD<20010329) switch AND utilization AND database AND (service ADJ level) AND route AND utilization AND route AND | US-PGPUB USPAT; | 2004/10/05 13:30 |
| • | 11142 | guarantee AND queue AND (@AD<20010329 OR @PRAD<20010329 OR @RLAD<20010329) ((370/229,230-237,252,389,395.53,397,400-401,411-412,468) OR (709/226,251)).CCLS. AND | US-PGPUB USPAT; | 2004/10/06 09:59 |
| • | H | (使わなどの10529 OR 使作なDく20010529 OR 使RLADく20010529) ("6789118").PN. | USPAT | 2004/10/15 12:13 |
| | 6 | ((370/230-237,252,389,395.53,397,400-401,411-412,468) OR (709/226,251)).CCLS. AND switch AND traffic AND processor AND management AND database AND characteristic AND service AND route AND entries AND | USPAT; US-PGPUB | 2004/10/15 13:40 |
| | | node AND criteria AND memory AND store AND (service ADJ level ADJ agreement) AND (trigger OR interrupt) AND PDU AND (@AD<20010329 OR @PRAD<20010329 OR @RLAD<20010329) | | |
| 1 | 0 | ((370/230-237,252,389,395.53,397,400-401,411-412,468) OR (709/226,251)).CCLS. AND switch AND traffic AND processor AND management AND database AND occupancy AND service AND route AND entries AND | USPAT; US-PGPUB | 2004/10/15 13:41 |
| | | node AND buffer AND memory AND store AND (service ADJ level ADJ agreement) AND (trigger OR interrupt) AND PDU AND (@AD<20010329 OR @PRAD<20010329 OR @RLAD<20010329) | | |
| • | - | ((370/230-237,252,389,395.53,397,400-401,411-412,468) OR (709/226,251)). CCLS. AND switch AND traffic AND propessor AND management AND database AND occupancy AND control AND | USPAT; | 2004/10/15 13:45 |
| | | AND BUILD BUILD WIND MINISTER AND STORE AND PDU AND (@AD<20010329 OR @PRAD<20010329 OR @PLAD | 20-10-10-10-10-10-10-10-10-10-10-10-10-10 | |
| • | H | ((370/230-237,252,389,395.53,397,400-401,411-412,468) OR (709/226,251)).CCLS. AND switch AND traffic | USPAT: | 2004/10/15 13:46 |
| | | AND processor AND management AND database AND occupancy AND service AND route AND node AND buffer | US-PGPUB | |
| | 1 | (370/230-237,252,389,395.53,397,400-401,411-412,468) OR (709/226,251)).CCLS. AND switch AND traffic | USPAT; | 2004/10/15 13:46 |
| | | AND processor AND database AND occupancy AND service AND route AND node AND buffer AND memory AND store AND PDI AND (@AD<20010329 OR @PRAD<20010329 OR @RI AD<20010329) | US-PGPUB | |
| | | ((370/230-237,252,389,395.53,397,400-401,411-412,468) OR (709/226,251)). CCLS. AND switch AND traffic | USPAT; | 2004/10/15 13:46 |
| | | AND processor AND database AND occupancy AND route AND node AND buffer AND memory AND store AND PDU AND (@AD<20010329 OR @PRAD<20010329 OR @RAD<20010329 OR @RAD<20010329 OR @RAD<20010329 OR @RAD (| US-PGPUB | |
| | | 1)).CCLS. AND switch AND traffic | USPAT; | 2004/10/15 13:47 |
| | | AND processor AND database AND occupancy AND route AND node AND buffer AND memory AND PDU AND (@AD<20010329 OR @PRAD<20010329 OR @RLAD<20010329 OR | US-PGPUB | |
| • | 9 | ((370/230-237,252,389,395.53,397,400-401,411-412,468) OR (709/226,251)).CCLS. AND switchAND | USPAT; | 2004/10/15 13:47 |
| | _ | Processor And Secupericy And Foure And Burler And Highligh And Foo And (@ADS 20010323 OR) (@ADS 20010323 OR) | 03-1-60 | |
| • | 1712 | switch AND processor AND database AND congestion AND (@AD<20010329 OR @PRAD<20010329 OR | USPAT; | 2004/10/18 10:01 |
| | 12 | (©RLAD<20010329) switch AND processor AND (traffic AD1 database) AND congection AND (@AD≤20010329 OR | US-PGPUB | 2004/10/19 14:06 |
| | ! | @PRAD<20010329 OR @RLAD<20010329) | US-PGPUB | 00:11 01/01/1007 |
| ı | 99 | Switch AND processor AND (management ADJ database) AND congestion AND (@AD<20010329 OR | USPAT; | 2004/10/18 14:20 |
| 1 | 784 | ongestion AND queue AND (@AD<20010329 OR | USPAT; | 2004/10/18 14:21 |
| | i | , | US-PGPUB | |
| • | 916 | SWITCH AND processor AND traffic AND database AND congestion AND queue AND buffer AND (@AD<20010329 OR @PRAD<20010329 OR @RLAD<20010329) | USPAT; US-PGPUB | 2004/10/18 14:21 |

| | 147 | 147 switch AND processor AND traffic AND detabase AND (connection AD) control) AND quiene AND builder AND | I ICDAT. | 2004/10/18 14:21 |
|---|-------|--|----------|------------------|
| | : | | US-PGPUR | 17:11 01/01/1007 |
| • | 119 | 119 switch AND processor AND traffic AND database AND (congestion ADJ control) AND queue AND buffer AND IP | USPAT; | 2004/10/18 14:22 |
| | | AND (@AD<20010329 OR @PRAD<20010329 OR @RLAD<20010329) | US-PGPUB | • |
| | 38 | 38 switch AND processor AND traffic AND database AND (congestion ADJ control) AND gueue AND buffer AND IP | USPAT; | 2004/10/18 14:22 |
| | _ | AND PSTN AND (@AD<20010329 OR @PRAD<20010329 OR @RLAD<20010329) | US-PGPUB | |
| | T | ("6775273").PN. | USPAT | 2004/10/19 09:40 |
| • | | ("6628629").PN. | USPAT | 2004/10/19 09:40 |
| | 0 | switch AND (traffic ADJ database) AND (multiport ADJ RAM) AND (@AD<20010329 OR @PRAD<20010329 OR | USPAT; | 2004/10/19 14:08 |
| | | @RLAD<20010329) | US-PGPUB | |
| • | 0 | switch AND (traffic ADJ database) AND (multiport ADJ memory) AND (@AD<20010329 OR @PRAD<20010329 | USPAT; | 2004/10/19 14:08 |
| | | OR @RLAD<20010329) | US-PGPUB | |
| | 31 | 31 switch AND (traffic ADJ database) AND (memory) AND RAM AND (@AD<20010329 OR @PRAD<20010329 OR | USPAT; | 2004/10/19 14:08 |
| | | @RLAD<20010329) | US-PGPUB | |